L Number	Hits	Search Text	DB	Time stamp
1	18887564	@ad<20000314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 10:40
2	73	@ad<20000314 and key with (Expected stored) adj hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 10:42
3	82	@ad<20000314 and key with (Expect$2 store$2) adj hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 10:44
4	114	@ad<20000314 and hash with ((processor adj number) (serial adj number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 10:55
5	47	@ad<20000314 and hash with ((processor adj number) (serial adj number)) with key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 11:33
11	1708	@ad<20000314 and 713/193,201,185.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 11:36
12	81	(@ad<20000314 and 713/193,201,185.ccls.) and hash with (serial processor identifier ID)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 11:36
-	670	@ad<20000314 and hash and (processor microprocessor cpu) with (serial identifier id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:45
-	64	@ad<20000314 and hash and (processor microprocessor cpu) with (serial identifier id) same (authentic$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:06
-	8	@ad<20000314 and 713/168,169.ccls. and (hardware processor microprocessor cpu) adj (serial identif$6 number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:31
-	3	(@ad<20000314 and 713/168,169.ccls. and (hardware processor microprocessor cpu) adj (serial identif$6 number)) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:13
-	6	@ad<20000314 and (hardware processor microprocessor cpu) adj (serial identif$6 number) with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 16:13
-	1	"5913227".PN.	USPAT	2003/12/03 15:50
-	1	"5793861".PN.	USPAT	2003/12/03 16:15
-	65	@ad<20000314 and processor with "unique identification number"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 16:17
-	1	"5542087".PN.	USPAT	2003/12/03 16:17
-	1	"5506961".PN.	USPAT	2003/12/03 16:19
-	1	"4866769".PN.	USPAT	2003/12/03 17:11

–	2	6418473.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:40
–	2	6418472.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:40
–	32	(computer hardware) adj (serial identifier id) and encrypted adj (content data) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:50
–	9	@ad<20000314 and ((computer hardware) adj (serial identifier id) and encrypted adj (content data) and hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 10:40
–	3	@ad<20000314 and content with delivery and player with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:06
–	107	@ad<20000314 and decrypt$5 same hash same (computer hardware processor) with (ID identification serial key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:35
–	8	@ad<20000314 and decrypt$5 same hash same (computer hardware processor) adj (ID identification serial key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:38
–	1	"5966440".PN.	USPAT	2003/12/04 15:45
–	16	daneels.inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 09:15
–	99	danneels.inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 09:19
–	1	"6289459".PN.	USPAT	2003/12/05 09:16
–	1	"5774544".PN.	USPAT	2003/12/05 09:16
–	1	"5619657".PN.	USPAT	2003/12/05 09:17
–	1	"5790664".PN.	USPAT	2003/12/05 09:17
–	1	"5790783".PN.	USPAT	2003/12/05 09:17
–	1	"5774544".PN.	USPAT	2003/12/05 09:18
–	1	"5946497".PN.	USPAT	2003/12/05 09:18
–	1	"5991413".PN.	USPAT	2003/12/05 09:18
–	1	"6067582".PN.	USPAT	2003/12/05 09:19
–	1	"6070243".PN.	USPAT	2003/12/05 09:19
–	1	"5774544".PN.	USPAT	2003/12/05 09:19
–	165	"Advanced Micro Devices" and serial adj numbers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 09:19
–	165	"Advanced Micro Devices" and serial adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 09:19
–	18847249	@ad<20000314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 09:20

-	121	("Advanced Micro Devices" and serial adj number) and @ad<20000314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 09:20
-	2	(("Advanced Micro Devices" and serial adj number) and @ad<20000314) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 09:20
-	8	(US-6032257-$ or US-6654886-$ or US-6611870-$ or US-5774544-$ or US-5790783-$ or US-5946497-$ or US-5933620-$ or US-5790663-$).did.	USPAT	2003/12/05 09:27
-	2	((US-6032257-$ or US-6654886-$ or US-6611870-$ or US-5774544-$ or US-5790783-$ or US-5946497-$ or US-5933620-$ or US-5790663-$).did.) and hash	USPAT	2003/12/05 09:36
-	0	("Advanced Micro Devices" and serial adj number) and hash with serial with web	USPAT	2003/12/05 09:36
-	0	@ad<20000314 and hash with serial with web	USPAT	2003/12/05 09:38
-	119	@ad<20000314 and hash with serial	USPAT	2003/12/05 09:39
-	30	@ad<20000314 and hash with serial with unique	USPAT	2003/12/05 09:40
-	58	@ad<20000314 and content with delivery same player	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:30
-	7	@ad<20000314 and content with delivery same player same decrypt$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:12
-	19	@ad<20000314 and (content media) with (delivery download$2) same player same decrypt$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:50
-	12	(@ad<20000314 and (content media) with (delivery download$2) same player same decrypt$5) not (@ad<20000314 and content with delivery same player same decrypt$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:12
-	13	@ad<20000314 and content with delivery same download with (player program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:49
-	5	(@ad<20000314 and content with delivery same download with (player program)) and decrypt$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:49
-	53	@ad<20000314 and (content media) with (delivery download$2) same (player program) same decrypt$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:56
-	34	(@ad<20000314 and (content media) with (delivery download$2) same (player program) same decrypt$5) not (@ad<20000314 and (content media) with (delivery download$2) same player same decrypt$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:50
-	25	@ad<20000314 and (content media) with protection and (download$2) same (player program) same decrypt$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:28

-	18	@ad<20000314 and (content media) with delivery and (download$2) same (player program) same decrypt$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:00
-	57	@ad<20000314 and (content media) with download$4 and (download$2) same (player program) same decrypt$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:01
-	36	@ad<20000314 and encrypted with (media content) and (download$2) with (player program application) same decrypt$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:03
-	69	@ad<20000314 and liquid adj audio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:12
-	0	@ad<20000314 and download with encrypted adj (content media) with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:13
-	1	@ad<20000314 and download with encrypted adj (content media) with player	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:19
-	0	@ad<20000314 and download with encrypted adj (content media) with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:19
-	13	@ad<20000314 and (media content) with (distribut$5 delivery) and decrypt$5 same player same download	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:34
-	1	(@ad<20000314 and (media content music video) with (distribut$5 delivery) and decrypt$5 same player same download) not (@ad<20000314 and (media content) with (distribut$5 delivery) and decrypt$5 same player same download)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:35
-	14	@ad<20000314 and (media content music video) with (distribut$5 delivery) and decrypt$5 same player same download	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:57
-	20	@ad<20000314 and (media content music video) with (player) and decrypt$5 same player same download	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:58
-	21	@ad<20000314 and (media content music video) and decrypt$5 same player same download	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:58
-	223	url with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:08
-	18850304	@ad<20000314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:06

-	98	(url with hash) and @ad<20000314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:06
-	47	(url with hash) and @ad<20000314 and string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:08
-	23	url with hash with string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:14
-	7	(url with hash with string) and @ad<20000314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:51
-	37	713/200.ccls. and hash same identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:51
-	1561	709/229.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:51
-	891	709/229.ccls. and @ad<20000314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:51
-	4	(709/229.ccls. and @ad<20000314) and (url with hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:52
-	497	@ad<20000314 and (processor microprocessor cpu) with embedded with instructions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 16:36
-	111	@ad<20000314 and (processor microprocessor cpu) with embedded with instructions and (processor microprocessor cpu) with (id identifier serial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 16:37
-	234	@ad<20000314 and (processor microprocessor cpu) with embedded with instructions and (processor microprocessor cpu) with (id identifier serial number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 16:36
-	2	(@ad<20000314 and (processor microprocessor cpu) with embedded with instructions and (processor microprocessor cpu) with (id identifier serial)) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 16:37
-	190	@ad<20000314 and embedded adj instructions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:50
-	17	(@ad<20000314 and embedded adj instructions) and serial adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:50

-	0	(@ad<20000314 and embedded adj instructions) and (send sent transmit$3) with key with expected with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:50
-	0	(@ad<20000314 and embedded adj instructions) and (send sent transmit$3) same key with expected with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:51
-	0	(@ad<20000314 and embedded adj instructions) and key with expected with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:51
-	18887564	@ad<20000314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:50
-	0	@ad<20000314 and (send sent transmit$3) with key with expected with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:51
-	0	@ad<20000314 and (send sent transmit$3) same key with expected with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 13:03
-	14	@ad<20000314 and key with expected with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:57
-	2	6070237.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:57
-	0	@ad<20000314 and (send sent transmit$3) with expected with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 13:04
-	0	@ad<20000314 and (send sent transmit$3) with expect$2 with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 13:05